

IN THE CLAIMS

1. (currently amended) An image data communication system, comprising:

an image processing apparatus comprising an image processing circuit for converting a captured image signal to image data having a reduced data size that can be readily processed in a remotely located image display apparatus of a transmission destination and a transmission circuit for outputting said image data along with additional data including transmission destination information associated with said image display apparatus and user identification and/or password information;

an image distribution server remotely located from said image processing apparatus for receiving said converted image data and said additional data, and for authenticating the user identification and/or password information by use of a certification server; and, only when the user identification and/or password information has been successfully authenticated, for generating electronic address information used for retrieving and viewing said image data, and transmitting said electronic address information to said image display apparatus using said transmission destination information; and

said image display apparatus being operative to receive said electronic address information, retrieve said converted image data using said electronic address information and display an image using said retrieved converted image data.

2. (previously presented) The image data communication system according to claim 1, wherein said image processing apparatus records said image signal onto a recording medium.

3. (previously presented) The image data communication system according to claim 1, wherein said transmission destination information comprises an e-mail address

associated with the image display apparatus and said electronic address information comprises a URL.

4. (original) The image data communication system according to claim 1, wherein said image display apparatus is a portable terminal capable of displaying an image.

5. (previously presented) The image data communication system according to claim 1, wherein said image processing apparatus uses a subtractive color process to convert said image signal to said image data having a data size in compliance with an image display capability of the image display apparatus.

6. (previously presented) The image data communication system according to claim 1, wherein said image data output from said image processing apparatus is sent to said image display apparatus via a wired network.

7. (previously presented) The image data communication system according to claim 6, wherein said image data output from said image processing apparatus is uploaded with said data size unchanged to an image storage server connected to said wired network.

8. (previously presented) The image data communication system according to claim 7, wherein said image display apparatus downloads said image data from said image storage server.

9. (previously presented) The image data communication system according to claim 1, wherein said image data output from said image processing apparatus is sent to said display apparatus via a wireless transmission path and a wired network.

10. (previously presented) The image data communication system according to claim 9, wherein said image data output from said image processing apparatus is uploaded

with said data size unchanged to an image storage server connected to said wired network.

11. (previously presented) The image data communication system according to claim 10, wherein said image display apparatus downloads said image data from said image storage server.

12. (previously presented) The image data communication system according to claim 1, further comprising communication apparatus connected to said image processing apparatus, and wherein said image data is output to said image display apparatus via said communication apparatus.

13. (previously presented) The image data communication system according to claim 1, wherein said image processing apparatus includes a communication apparatus operative to output said image data from said image processing apparatus.

14. (previously presented) The image data communication system according to claim 1, wherein said image display apparatus includes a communication apparatus operative to receive said image data .

15. (currently amended) A method for sending image data from an image pickup apparatus to a remotely located image display apparatus comprising:

converting an image signal captured by the image pickup apparatus to image data having a reduced data size that can be readily processed the image display apparatus;

outputting the image data with additional data including transmission destination information associated with the image display apparatus and user identification and/or password information;

receiving the converted image data and the additional data at an image distribution server;

authenticating the user identification and/or password information by use of a certification server;

generating electronic address information used for retrieving and viewing the image ~~data~~, data, and transmitting the electronic address information by the image distribution server to the image display apparatus using the transmission destination information only when the user identification and/or password information has been successfully authenticated;

receiving the electronic address information at the image display apparatus;

retrieving the converted image data using the electronic address information; and
displaying an image on the image display apparatus using the retrieved converted image data .

16. (previously presented) The method according to claim 15, wherein said transmission destination information comprises an e-mail address associated with the image display apparatus and said electronic address information comprises a URL.

17. (previously presented) The method according to claim 15, wherein said retrieving said image data includes transmitting said image data to the image display apparatus using at least one of a wireless transmission path or a wired network.

18. (cancelled)

19. (cancelled)

20. (cancelled)

21. (canceled)

22. (cancelled)